

Table 1

SAN DIEGO/IMPERIAL ORGANIZATION FOR CANCER CONTROL
Annual Incidence Counts and Age-Adjusted Incidence Rates per 100,000 by Cancer Site,
1988-2002
Male Residents of San Diego County

CALENDAR YEAR: CANCER SITE	1988		1989		1990	
	N	AAIR	N	AAIR	N	AAIR
ALL SITES	4803	578.8	4921	567.9	5527	627.2
BLADDER *	326	40.4	296	36.2	364	43.7
BRAIN AND OTHER CNS	78	8.8	81	7.8	91	9.2
BREAST	7	.s.	15	1.9	8	.s.
BUCCAL CAVITY AND PHARYNX	164	18.7	171	18.4	170	18.0
CERVIX
COLON **	380	48.9	379	46.8	422	52.2
CORPUS AND UTERUS NOS
ESOPHAGUS	64	7.1	58	6.7	62	6.8
HODGKIN'S DISEASE	37	3.1	44	3.4	39	3.2
KAPOSI'S SARCOMA ***	122	9.6	129	10.0	153	11.5
KIDNEY AND RENAL PELVIS	110	13.4	108	12.7	135	15.0
LARYNX	73	8.5	93	10.1	57	6.3
LEUKEMIA	130	14.9	154	17.7	173	19.6
LIVER	44	5.1	37	4.3	65	7.1
LUNG & BRONCHUS	835	101.1	777	91.3	910	104.5
MALIGNANT MELANOMA OF THE SKIN	193	21.4	152	16.0	182	18.6
MULTIPLE MYELOMA	41	4.9	58	7.3	53	6.5
NON-HODGKIN'S LYMPHOMA	179	20.2	210	22.2	221	22.9
OVARY
PANCREAS	106	13.5	109	13.2	118	13.6
PROSTATE	1250	160.5	1277	154.0	1587	190.3
RECTUM & RECTOSIGMOID **	174	21.3	194	22.6	135	15.5
STOMACH	111	13.8	117	14.5	116	13.3
TESTIS	62	4.4	69	4.7	93	6.3
THYROID	32	3.3	34	3.4	31	2.9
ALL SARCOMA ***	170	14.5	204	17.8	227	18.7
ALL OTHER TYPES ****	407	44.7	488	52.8	495	50.5

N = Number of Cases, AAIR = Age-Adjusted Incidence Rate

Sources of data and methods of calculation appear on pages 10-14 of this report.

* BLADDER cancer includes both in-situ and invasive cases (see page 10).

** Please note that COLON and RECTUM & RECTOSIGMOID are presented separately.

*** While shown separately, cases of KAPOSI'S SARCOMA and ALL SARCOMA are counted among the appropriate anatomic site. Therefore, the sum of site specific counts in any column of this table exceeds the figure given for ALL SITES by the number of sarcoma cases. KAPOSI'S SARCOMA is included in ALL SARCOMA.

**** Five-year aggregate data for some cancer types not shown here may be found in Table 34, page 104.

Data suppression rules (.s., &.) are given on pages 10-14 of this report.

Note: These rates are calculated using the Year 2000 Population Standard (see page 14).

Table 1 (continued)

SAN DIEGO/IMPERIAL ORGANIZATION FOR CANCER CONTROL
Annual Incidence Counts and Age-Adjusted Incidence Rates per 100,000 by Cancer Site,
1988-2002
Male Residents of San Diego County

CALENDAR YEAR:	1991		1992		1993	
	N	AAIR	N	AAIR	N	AAIR
CANCER SITE						
ALL SITES	6011	664.4	6348	679.2	6061	641.4
BLADDER *	382	44.9	378	43.4	381	42.0
BRAIN AND OTHER CNS	79	7.8	85	7.9	93	9.0
BREAST	9	.s.	5	.s.	10	.s.
BUCCAL CAVITY AND PHARYNX	195	21.1	175	18.2	176	18.7
CERVIX
COLON **	435	50.7	424	48.3	395	44.9
CORPUS AND UTERUS NOS
ESOPHAGUS	47	5.2	68	7.5	77	8.2
HODGKIN'S DISEASE	42	3.5	47	3.5	39	2.8
KAPOSI'S SARCOMA ***	137	10.1	180	13.4	176	12.9
KIDNEY AND RENAL PELVIS	141	15.5	157	17.1	150	15.4
LARYNX	80	8.6	83	8.7	71	7.6
LEUKEMIA	183	19.1	171	18.2	182	18.5
LIVER	64	6.4	49	5.3	62	6.6
LUNG & BRONCHUS	863	96.6	892	97.1	803	87.6
MALIGNANT MELANOMA OF THE SKIN	194	20.0	190	18.5	206	20.3
MULTIPLE MYELOMA	61	6.9	48	5.4	69	7.3
NON-HODGKIN'S LYMPHOMA	228	23.0	244	24.0	272	26.6
OVARY
PANCREAS	105	11.9	113	12.6	115	13.1
PROSTATE	2038	233.3	2291	252.6	2046	223.4
RECTUM & RECTOSIGMOID **	187	20.9	174	18.8	148	16.2
STOMACH	111	13.1	92	10.0	115	12.3
TESTIS	69	4.2	76	4.7	85	5.6
THYROID	34	3.1	36	3.5	33	2.8
ALL SARCOMA ***	219	18.2	272	22.1	276	22.9
ALL OTHER TYPES ****	464	47.4	550	53.3	533	51.3

N = Number of Cases, AAIR = Age-Adjusted Incidence Rate

Sources of data and methods of calculation appear on pages 10-14 of this report.

* BLADDER cancer includes both in-situ and invasive cases (see page 10).

** Please note that COLON and RECTUM & RECTOSIGMOID are presented separately.

*** While shown separately, cases of KAPOSI'S SARCOMA and ALL SARCOMA are counted among the appropriate anatomic site. Therefore, the sum of site specific counts in any column of this table exceeds the figure given for ALL SITES by the number of sarcoma cases. KAPOSI'S SARCOMA is included in ALL SARCOMA.

**** Five-year aggregate data for some cancer types not shown here may be found in Table 34, page 104.

Data suppression rules (.s., &.) are given on pages 10-14 of this report.

Note: These rates are calculated using the Year 2000 Population Standard (see page 14).

Table 1 (continued)

SAN DIEGO/IMPERIAL ORGANIZATION FOR CANCER CONTROL
Annual Incidence Counts and Age-Adjusted Incidence Rates per 100,000 by Cancer Site,
1988-2002
Male Residents of San Diego County

CANCER SITE	1994		1995		1996	
	N	AAIR	N	AAIR	N	AAIR
ALL SITES	5753	599.9	5665	587.6	5821	602.3
BLADDER *	407	46.1	365	40.0	421	46.2
BRAIN AND OTHER CNS	92	8.4	110	10.2	94	9.0
BREAST	7	.s.	11	.s.	7	.s.
BUCCAL CAVITY AND PHARYNX	188	18.7	204	20.2	192	19.7
CERVIX
COLON **	406	43.2	391	42.3	385	42.4
CORPUS AND UTERUS NOS
ESOPHAGUS	73	7.7	74	7.6	86	9.3
HODGKIN'S DISEASE	37	2.8	41	3.3	38	2.9
KAPOSI'S SARCOMA ***	170	12.0	140	10.5	95	6.9
KIDNEY AND RENAL PELVIS	151	16.2	146	15.2	148	15.5
LARYNX	74	7.7	76	7.9	85	9.0
LEUKEMIA	171	17.5	175	18.2	168	16.3
LIVER	64	6.5	80	8.4	65	6.7
LUNG & BRONCHUS	809	87.1	801	85.3	829	87.5
MALIGNANT MELANOMA OF THE SKIN	240	24.4	267	26.7	297	28.6
MULTIPLE MYELOMA	63	6.8	59	6.5	68	7.4
NON-HODGKIN'S LYMPHOMA	261	25.0	283	26.9	288	27.9
OVARY
PANCREAS	108	11.9	126	13.8	117	12.6
PROSTATE	1686	181.1	1595	170.0	1651	174.6
RECTUM & RECTOSIGMOID **	155	16.3	153	16.1	171	17.9
STOMACH	96	10.1	92	10.0	96	9.9
TESTIS	63	4.4	76	5.4	87	6.1
THYROID	36	3.1	35	3.1	44	4.3
ALL SARCOMA ***	261	20.9	256	21.6	187	15.6
ALL OTHER TYPES ****	566	54.3	505	49.4	484	47.8

N = Number of Cases, AAIR = Age-Adjusted Incidence Rate

Sources of data and methods of calculation appear on pages 10-14 of this report.

* BLADDER cancer includes both in-situ and invasive cases (see page 10).

** Please note that COLON and RECTUM & RECTOSIGMOID are presented separately.

*** While shown separately, cases of KAPOSI'S SARCOMA and ALL SARCOMA are counted among the appropriate anatomic site. Therefore, the sum of site specific counts in any column of this table exceeds the figure given for ALL SITES by the number of sarcoma cases. KAPOSI'S SARCOMA is included in ALL SARCOMA.

**** Five-year aggregate data for some cancer types not shown here may be found in Table 34, page 104.

Data suppression rules (.s., &.) are given on pages 10-14 of this report.

Note: These rates are calculated using the Year 2000 Population Standard (see page 14).

Table 1 (continued)

SAN DIEGO/IMPERIAL ORGANIZATION FOR CANCER CONTROL
Annual Incidence Counts and Age-Adjusted Incidence Rates per 100,000 by Cancer Site,
1988-2002
Male Residents of San Diego County

CANCER SITE	1997		1998		1999	
	N	AAIR	N	AAIR	N	AAIR
ALL SITES	5694	575.7	5999	592.6	6035	568.2
BLADDER *	357	38.1	393	40.9	382	38.1
BRAIN AND OTHER CNS	98	8.8	90	7.7	97	8.3
BREAST	10	.s.	9	.s.	9	.s.
BUCCAL CAVITY AND PHARYNX	199	19.6	184	17.6	202	18.3
CERVIX
COLON **	411	43.6	475	49.8	420	41.1
CORPUS AND UTERUS NOS
ESOPHAGUS	72	7.4	82	8.3	77	7.5
HODGKIN'S DISEASE	32	2.5	36	2.6	37	2.7
KAPOSI'S SARCOMA ***	43	3.0	48	3.6	36	2.7
KIDNEY AND RENAL PELVIS	165	16.5	167	16.1	172	15.7
LARYNX	77	7.9	82	7.9	52	4.9
LEUKEMIA	160	15.6	184	17.9	214	19.7
LIVER	93	9.3	83	8.1	102	9.1
LUNG & BRONCHUS	833	86.0	868	87.7	802	77.3
MALIGNANT MELANOMA OF THE SKIN	301	28.9	317	29.6	383	34.5
MULTIPLE MYELOMA	66	6.8	72	7.0	73	7.0
NON-HODGKIN'S LYMPHOMA	263	25.0	248	23.0	266	24.3
OVARY
PANCREAS	127	13.7	134	13.9	131	12.5
PROSTATE	1567	161.8	1630	163.6	1743	167.8
RECTUM & RECTOSIGMOID **	159	16.1	206	20.0	179	17.2
STOMACH	112	11.5	118	12.5	95	9.2
TESTIS	80	5.5	86	5.9	97	6.3
THYROID	37	3.5	47	4.0	53	4.3
ALL SARCOMA ***	143	12.4	161	13.5	151	12.3
ALL OTHER TYPES ****	475	46.6	488	47.5	449	41.2

N = Number of Cases, AAIR = Age-Adjusted Incidence Rate

Sources of data and methods of calculation appear on pages 10-14 of this report.

* BLADDER cancer includes both in-situ and invasive cases (see page 10).

** Please note that COLON and RECTUM & RECTOSIGMOID are presented separately.

*** While shown separately, cases of KAPOSI'S SARCOMA and ALL SARCOMA are counted among the appropriate anatomic site. Therefore, the sum of site specific counts in any column of this table exceeds the figure given for ALL SITES by the number of sarcoma cases. KAPOSI'S SARCOMA is included in ALL SARCOMA.

**** Five-year aggregate data for some cancer types not shown here may be found in Table 34, page 104.

Data suppression rules (.s., &.) are given on pages 10-14 of this report.

Note: These rates are calculated using the Year 2000 Population Standard (see page 14).

Table 1 (continued)

SAN DIEGO/IMPERIAL ORGANIZATION FOR CANCER CONTROL
Annual Incidence Counts and Age-Adjusted Incidence Rates per 100,000 by Cancer Site,
1988-2002
Male Residents of San Diego County

CANCER SITE	2000		2001		2002	
	N	AAIR	N	AAIR	N	AAIR
ALL SITES	6035	540.4	6256	547.4	6204	529.1
BLADDER *	390	36.4	377	34.7	350	31.4
BRAIN AND OTHER CNS	99	7.9	97	7.8	102	7.9
BREAST	8	.s.	13	.s.	5	.s.
BUCCAL CAVITY AND PHARYNX	211	18.3	214	17.9	223	18.4
CERVIX
COLON **	416	38.7	457	41.1	406	35.6
CORPUS AND UTERUS NOS
ESOPHAGUS	77	6.9	104	9.2	79	7.0
HODGKIN'S DISEASE	30	2.0	48	3.3	45	3.0
KAPOSI'S SARCOMA ***	26	1.9	30	2.2	33	2.3
KIDNEY AND RENAL PELVIS	190	16.7	173	14.9	204	17.2
LARYNX	72	6.5	64	5.6	61	5.4
LEUKEMIA	211	18.1	195	16.8	182	15.1
LIVER	95	8.3	98	8.4	95	8.0
LUNG & BRONCHUS	859	78.9	791	70.8	768	67.3
MALIGNANT MELANOMA OF THE SKIN	348	29.5	430	36.0	398	32.4
MULTIPLE MYELOMA	73	6.4	46	4.1	66	5.7
NON-HODGKIN'S LYMPHOMA	258	22.3	277	23.2	263	21.5
OVARY
PANCREAS	147	13.4	141	12.6	135	11.8
PROSTATE	1672	152.8	1793	160.6	1817	158.8
RECTUM & RECTOSIGMOID **	200	18.0	193	16.8	208	17.3
STOMACH	111	10.1	110	9.6	94	8.1
TESTIS	69	4.4	71	4.6	73	4.5
THYROID	41	3.2	48	3.8	61	4.5
ALL SARCOMA ***	145	11.7	130	10.2	145	11.0
ALL OTHER TYPES ****	458	41.1	516	44.5	569	48.0

N = Number of Cases, AAIR = Age-Adjusted Incidence Rate

Sources of data and methods of calculation appear on pages 10-14 of this report.

* BLADDER cancer includes both in-situ and invasive cases (see page 10).

** Please note that COLON and RECTUM & RECTOSIGMOID are presented separately.

*** While shown separately, cases of KAPOSI'S SARCOMA and ALL SARCOMA are counted among the appropriate anatomic site. Therefore, the sum of site specific counts in any column of this table exceeds the figure given for ALL SITES by the number of sarcoma cases. KAPOSI'S SARCOMA is included in ALL SARCOMA.

**** Five-year aggregate data for some cancer types not shown here may be found in Table 34, page 104.

Data suppression rules (.s., &.) are given on pages 10-14 of this report.

Note: These rates are calculated using the Year 2000 Population Standard (see page 14).